


# DETAILED MEASUREMENTS

ALUMINIUM RAIL SIDE-MOUNTED DESIGN VARIANT 2  
NORMAL INTERMEDIARY RAIL AND CROSSBAR IN ALUMINIUM - BRACKET MOUNT



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The spaces between the vertical bars depend on the design choice and the width of the section


C - Total height of the railing

D - 145, 195, 250 or 350 mm



# DETAILED MEASUREMENTS

ALUMINIUM RAIL SIDE-MOUNTED DESIGN VARIANT 2  
NORMAL INTERMEDIARY RAIL AND CROSSBAR MADE OF WOOD- BRACKET MOUNT



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The spaces between the vertical bars depend on the design choice and the width of the section


C - Total height of the railing

D - 145, 195, 250 or 350 mm



# DETAILED MEASUREMENTS

## ALUMINIUM RAIL SIDE-MOUNTED DESIGN VARIANT 2 NORMAL INTERMEDIARY - RACKET MOUNT



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The spaces between the vertical bars depend on the design choice and the width of the section

C - Total height of the railing

D - 145, 195, 250 or 350 mm

